

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<!-- Application SIP Grande5 5.8.5.1256 02-Jul-19 01:54 -->
<!-- Created 09-06-2021 02:05 -->
<!-- Base profile Generic -->
<PHONE_CONFIG>
<ALL
attendant.behaviors.display.spontaneousCallAppearances.normal="0"
audioVideoToggle.callMode.persistent="1"
bg.color.selection="2,1"
call.directedCallPickupString="*78"
call.shared.exposeAutoHolds="1"
device.auth.localAdminPassword.set="1"
device.prov.serverType="HTTP"
device.set="1"
dialplan.digitmap=""
dialplan.digitmap.timeOut=""
dialplan.impossibleMatchHandling="2"
feature.callPark.enabled="1"
feature.doNotDisturb.enable="0"
feature.presence.enabled="1"
feature.urlDialing.enabled="0"
lcl.datetime.date.dateTop="1"
lcl.datetime.date.longFormat="1"
pres.idleSoftKeys="0"
prov.login.persistent="1"
prov.loginCredPwdFlushed.enabled="0"
se.rt.autoAnswer.callWait="6"
se.rt.autoAnswer.name="Ring Answer"
se.rt.autoAnswer.ringer="2"
se.rt.autoAnswer.timeout="1"
se.rt.autoAnswer.type="ring-answer"
se.rt.custom1.name="Low Trill"
se.rt.custom1.ringer="ringer2"
se.rt.custom2.name="Low Trill"
se.rt.custom2.ringer="ringer2"
se.rt.ringAutoAnswer.callWait="6"
se.rt.ringAutoAnswer.ringer="2"
se.rt.ringAutoAnswer.timeout="1"
sec.srtp.enable="0"
sec.srtp.key.lifetime="0"
sec.srtp.offer.HMAC_SHA1_80="0"
sec.srtp.requireMatchingTag="0"
sec.TLS.SIP.strictCertCommonNameValidation="0"
softkey.feature.doNotDisturb="0"
tcpIpApp.keepalive.tcp.idleTransmitInterval="20"
tcpIpApp.keepalive.tcp.noResponseTransmitInterval="50"
tcpIpApp.keepalive.tcp.sip.persistentConnection.enable="1"
tcpIpApp.sntp.address="pool.ntp.org"
tcpIpApp.sntp.gmtOffset="-18000"
tone.dtmf.rfc2833Control="0"
tone.dtmf.viaRtp="0"
up.em.smartpaging.enabled="0"
up.oneTouchVoiceMail="1"
up.screenSaver.type="1"
```

up.useDirectoryNames="0"
video.autoFullScreen="1"
video.camera.contrast="0"
video.codecPref.H261=""
video.codecPref.H263=""
video.codecPref.H2631998=""
video.codecPref.H264=""
video.enable="0"
video.localCameraView.fullScreen.mode="side-by-side"
video.maxCallRate="768"
video.profile.H261.annexD="0"
video.quality="0"
voice.audioProfile.G722.jitterBufferMax="160"
voice.audioProfile.G7221.24kbps.payloadType="127"
voice.audioProfile.iLBC.13_33kbps.jitterBufferMax="160"
voice.audioProfile.iLBC.15_2kbps.jitterBufferMax="160"
voice.codecPref.G711_A=""
voice.codecPref.G711_Mu="3"
voice.codecPref.G722="1"
voice.codecPref.G7221.32kbps=""
voice.codecPref.G7221_C.48kbps=""
voice.codecPref.G729_AB="4"
voice.codecPref.iLBC.13_33kbps="2"
voice.codecPref.iLBC.15_2kbps=""
voice.volume.persist.handset="1"
voice.volume.persist.headset="1"
voIpProt.SIP.dtmfViaSignaling.rfc2976="1"
voIpProt.SIP.dtmfViaSignaling.rfc2976.nonLegacyEncoding="1"
attendant.resourceList.1.address="501"
attendant.resourceList.2.address="queue+456"
attendant.resourceList.3.address="2111"
attendant.resourceList.1.label="test501test501"
attendant.resourceList.2.label="fg"
attendant.resourceList.3.label="User2111U2111"
attendant.resourceList.1.type="normal"
attendant.resourceList.2.type="automata"
attendant.resourceList.3.type="normal"
dialplan.routing.server.1.port="5060"
msg.mwi.1.callBack="*45"
msg.mwi.2.callBack="*45"
msg.mwi.3.callBack="*45"
msg.mwi.4.callBack="*45"
msg.mwi.5.callBack="*45"
msg.mwi.1.callBackMode="contact"
msg.mwi.2.callBackMode="contact"
msg.mwi.3.callBackMode="contact"
msg.mwi.4.callBackMode="contact"
msg.mwi.5.callBackMode="contact"
msg.mwi.1.subscribe="1596@SIPDOMAIN"
msg.mwi.2.subscribe="300@SIPDOMAIN"
msg.mwi.3.subscribe="2003@SIPDOMAIN"
msg.mwi.4.subscribe="501@SIPDOMAIN"
msg.mwi.5.subscribe="2111@SIPDOMAIN"
reg.1.address="1596/64167f355be2@SIPDOMAIN"

reg.2.address="300/64167f355be2@SIPDOMAIN"
reg.3.address="2003/64167f355be2@SIPDOMAIN"
reg.4.address="501/64167f355be2@SIPDOMAIN"
reg.5.address="2111/64167f355be2@SIPDOMAIN"
reg.1.auth.domain="SIPDOMAIN"
reg.2.auth.domain="SIPDOMAIN"
reg.3.auth.domain="SIPDOMAIN"
reg.4.auth.domain="SIPDOMAIN"
reg.5.auth.domain="SIPDOMAIN"
reg.1.auth.userId="1596"
reg.2.auth.userId="300"
reg.3.auth.userId="2003"
reg.4.auth.userId="501"
reg.5.auth.userId="2111"
reg.1.displayName="1596"
reg.2.displayName="300"
reg.3.displayName="2003"
reg.4.displayName="501"
reg.5.displayName="2111"
reg.1.label="1596"
reg.2.label="300"
reg.3.label="2003"
reg.4.label="501"
reg.5.label="2111"
reg.1.outboundProxy.address="SIPDOMAIN"
reg.2.outboundProxy.address="SIPDOMAIN"
reg.3.outboundProxy.address="SIPDOMAIN"
reg.4.outboundProxy.address="SIPDOMAIN"
reg.5.outboundProxy.address="SIPDOMAIN"
reg.1.outboundProxy.transport="TLS"
reg.2.outboundProxy.transport="TLS"
reg.3.outboundProxy.transport="TLS"
reg.4.outboundProxy.transport="TLS"
reg.5.outboundProxy.transport="TLS"
reg.1.ringType="ringer2"
reg.2.ringType="ringer2"
reg.3.ringType="ringer2"
reg.4.ringType="ringer2"
reg.5.ringType="ringer2"
reg.1.srtp.enable="0"
reg.2.srtp.enable="0"
reg.3.srtp.enable="0"
reg.4.srtp.enable="0"
reg.5.srtp.enable="0"
reg.1.type="shared"
reg.4.type="shared"
voIpProt.SIP.alertInfo.1.class="custom1"
voIpProt.SIP.alertInfo.2.class="custom2"
voIpProt.SIP.alertInfo.3.class="autoAnswer"
voIpProt.SIP.alertInfo.4.class="ringAutoAnswer"
voIpProt.SIP.alertInfo.3.value="paging"
voIpProt.SIP.alertInfo.4.value="RDZMQBJf"
reg.1.server.1.address="SIPDOMAIN"
reg.2.server.1.address="SIPDOMAIN"

```
reg.3.server.1.address="SIPDOMAIN"  
reg.4.server.1.address="SIPDOMAIN"  
reg.5.server.1.address="SIPDOMAIN"  
reg.1.server.1.expires="360"  
reg.2.server.1.expires="360"  
reg.3.server.1.expires="360"  
reg.4.server.1.expires="360"  
reg.5.server.1.expires="360"  
reg.1.server.1.transport="TLS"  
reg.2.server.1.transport="TLS"  
reg.3.server.1.transport="TLS"  
reg.4.server.1.transport="TLS"  
reg.5.server.1.transport="TLS"
```

```
/>
```

```
</PHONE_CONFIG>
```