



SECURITY BULLETIN CVE-2014-0160 Version 1.7

---

## Security Advisory Relating to OpenSSL Vulnerability “Heartbleed” on Various Polycom Products

DATE PUBLISHED: 2014-04-22-21:47 CDT (UTC -5)

**This information applies to all Polycom products using OpenSSL versions 1.0.1 through 1.0.1f.**

---

***Please remember that this bulletin is being updated on a regular basis to address new information regarding vulnerabilities and new fixes. This bulletin is versioned and time stamped. The newest version will always be located at this URL:***

**<http://www.polycom.com/content/dam/polycom/common/documents/brochures/heartbleed-security-advisory-enus.pdf>**

---

### **Vulnerability Summary**

*A vulnerability in OpenSSL could allow a remote attacker to expose sensitive data, possibly including user authentication credentials and secret keys, through incorrect memory handling in the TLS heartbeat extension.*

### **Details**

*Through exploiting the heartbeat feature in OpenSSL versions 1.0.1 through 1.0.1f, an attacker can capture memory from the host 64k at a time. Successive 64k sections of memory can be captured until the attacker has captured the desired data. This could include, at worst case, a copy of the server's private key.*

*This exploit is consistent with CVE: 2014-0160*

## Systems Affected

At this time, a list of Polycom products, their versions, and vulnerability status is outlined in the table below. This bulletin will be updated periodically until all known vulnerable Polycom systems are fixed or properly mitigated. **NOTE: Any dates listed in the table below are ESTIMATES. These dates are subject to change, for better or worse, as new information becomes available to the teams in charge of each product. Vulnerability status may be subject to change pending new information.**

### Comprehensive Vulnerability Assessment of Polycom Products (3 Parts)

Product Name	Version	Vulnerable	Notes and/or FIX/FIXED Dates
<b>Management Applications</b>			
CMA	All	Not Vulnerable	
RealPresence Distributed Media Application (DMA)	All	Not Vulnerable	
RealPresence Resource Manager (RPRM)	All	Not Vulnerable	
RealPresence Video DualManager 400 (RPDM)	All	Not Vulnerable	
RealPresence Platform Suite (SoftRPP)	All	Not Vulnerable	
<b>Telepresence Rooms</b>			
VSX Series	All	Not Vulnerable	
<b>HDX Series</b>			
HDX	2.7.0.x - 3.0.x	Not Vulnerable	
<b>HDX</b>	<b>3.1.x and Greater</b>	<b>Vulnerable</b>	<b>FIXED in version 3.1.3.2</b>
HDX	3.1.3.2	Not Vulnerable	Fixes Earlier Vulnerable Versions
QDX 6000	All	Not Vulnerable	
<b>RealPresence Group Series</b>	<b>All</b>	<b>Vulnerable</b>	<b>Current estimate for fix is 4/25. 4.0 customers will need to upgrade to 4.1, as the fix will be an update to 4.1. Maintenance will not be required.</b>
<b>Unified Conference &amp; Collaboration Stations</b>			
CX5000, CX5100, CX5500, CX7000, CX8000	All	Not Vulnerable	
<b>Immersive Telepresence</b>			
<b>ITP with HDX (ATX, OTX, RPX, TPX) - See HDX Section for Any Fixes</b>			
ITP	2.7.1	Not Vulnerable	Uses HDX 2.6.1.3_itp271-5267
ITP	3.0.1	Not Vulnerable	Uses HDX 3.0.1-10628
ITP	3.0.2	Not Vulnerable	Uses HDX 3.0.2-11176
ITP	3.0.3	Not Vulnerable	Uses HDX 3.0.3-14451
ITP	3.0.5	Not Vulnerable	Uses HDX 3.0.5-22695
<b>ITP</b>	<b>3.1</b>	<b>Vulnerable</b>	<b>Uses HDX 3.1.0-23277</b>
<b>ITP</b>	<b>3.1.2</b>	<b>Vulnerable</b>	<b>Uses HDX 3.1.2-32267</b>
<b>ITP</b>	<b>3.1.3</b>	<b>Vulnerable</b>	<b>NOT a GA Build - Used HDX 3.1.3-38278</b>
<b>ITP with Group Series (Immersive Studio) - See Group Series Section for Any Fixes</b>			
<b>RPIS</b>	<b>4.1.2</b>	<b>Vulnerable</b>	<b>Uses Group Series 4.1.2-100236</b>
<b>RPIS</b>	<b>4.1.3</b>	<b>Vulnerable</b>	<b>Uses Group Series 4.1.3-111080</b>



Product Name	Version	Vulnerable	Notes and/or FIX/FIXED Dates
<b>Desktop &amp; Mobile Video Conferencing</b>			
RealPresence Desktop	All Versions	Not Vulnerable	
RealPresence Mobile	All Versions	Not Vulnerable	
CMA Desktop	All Versions	Not Vulnerable	
<b>Collaboration Servers</b>			
RealPresence Collaboration Server 1500, 1800, 2000 and 4000 (RMX)			
RMX	7.5.x - 7.8.x	Not Vulnerable	
<b>RMX</b>	<b>8.1.4.J</b>	<b>Vulnerable</b>	<b>Fixed with Hotfix 8.3.0.245.477.003</b>
<b>RMX</b>	<b>8.1.4.x</b>	<b>Vulnerable</b>	<b>Fixed with Hotfix 8.3.0.245.477.003</b>
<b>RMX</b>	<b>8.1.7.x</b>	<b>Vulnerable</b>	<b>Fixed with Hotfix 8.3.0.245.477.003</b>
<b>RMX</b>	<b>8.2.x</b>	<b>Vulnerable</b>	<b>Fixed with Hotfix 8.3.0.245.477.003</b>
<b>RMX</b>	<b>8.3.x</b>	<b>Vulnerable</b>	<b>Fixed with Hotfix 8.3.0.245.477.003</b>
RMX	8.3.0.245.477.003 (Hotfix)	Not Vulnerable	Fixes Earlier Vulnerable Versions
MGC-25, MGC-50, MGC-100	All	Not Vulnerable	
RealPresence Collaboration Server, Virtual Edition (SoftMC)	8.3.x	Not Vulnerable	
<b>Video Content Management</b>			
Recording and Streaming Server (RSS) 4000	All Versions	Not Vulnerable	
Recording and Streaming Server (RSS) 2000	All Versions	Not Vulnerable	
RealPresence Capture Server	All Versions	Not Vulnerable	
RealPresence Capture Station Pro	All	Not Vulnerable	
RealPresence Capture Station Portable Pro	All	Not Vulnerable	
RealPresence Media Manager	All	Not Vulnerable	
Media Editor	All	Not Vulnerable	
CSS Client	All Versions	Not Vulnerable	
CSS Server	All Versions	Not Vulnerable	

Product Name	Version	Vulnerable	Notes and/or FIX/FIXED Dates
<b>Firewall Traversal &amp; Security</b>			
Video Border Proxy (VBP) E & ST Series			
VBP	11.1.x	Not Vulnerable	
VBP	11.2.11 - Hotfix	Not Vulnerable	
<b>VBP</b>	<b>11.2.12 - GA</b>	<b>Vulnerable</b>	<b>FIXED with version 11.2.17</b>
<b>VBP</b>	<b>11.2.16 - GA</b>	<b>Vulnerable</b>	<b>FIXED with version 11.2.17</b>
VBP	11.2.17	Not Vulnerable	Fixes Earlier Vulnerable Versions
RealPresence Access Director (RPAD)	All Versions	Not Vulnerable	
<b>CloudAXIS</b>			
CloudAXIS MEA (Web experience portal)	All Versions	Not Vulnerable	
CloudAXIS WSP (Web service portal)	All Versions	Not Vulnerable	
RealPresence Platform Director	All Versions	Not Vulnerable	
<b>Desktop Video &amp; Voice Solutions</b>			
Soundpoint, Soundstation, SoundStructure, VVX			
SoundPoint, SoundStation, VVX and SoundStructure (VoIP Interface) Families	UCS 4.0.1.13681 rts56 - UCS 4.0.5.4233 rts22	Not Vulnerable	
SoundPoint, SoundStation, VVX Families	UCS 3.3.0.1098 rts35 - UCS 3.3.4.0085 rts6	Not Vulnerable	
SoundPoint, SoundStation, VVX Families	SIP 3.2.0 rts44 - SIP 3.2.7.0198 rts10	Not Vulnerable	
<b>SoundPoint, SoundStation, and SoundStructure (VoIP Interface) Families</b>	<b>UCS 4.1.0.84959 rts42 I - UCS 4.1.6.4835 rts50</b>	<b>Vulnerable</b>	<b>All fixes complete by 5/6/14. UCS4.1.0 by 4/25/14 fixes all SPIP phones. UCS4.1.0 &amp; UCS4.1.6 by 4/22/14 fixes all VVX &amp; SoundStructure. UCS4.1.x &amp; UCS5.0.2 by 4/24/14 fixes all VVX &amp; SoundStructure. UCS5.0.x &amp; UCS4.1.7 GA release on 5/9/14. UCS5.1.0 GA release on 5/6/14.</b>
<b>VVX and SoundStructure (VoIP Interface) Families</b>	<b>UCS 4.1.3.7864 rts21G - UCS 5.0.1.7396 rts56 Q</b>	<b>Vulnerable</b>	<b>All fixes complete by 5/6/14. UCS4.1.0 by 4/25/14 fixes all SPIP phones. UCS4.1.0 &amp; UCS4.1.6 by 4/22/14 fixes all VVX &amp; SoundStructure. UCS4.1.x &amp; UCS5.0.2 by 4/24/14 fixes all VVX &amp; SoundStructure. UCS5.0.x &amp; UCS4.1.7 GA release on 5/9/14. UCS5.1.0 GA release on 5/6/14.</b>
Zero Touch Provisioning Solution - ZTP (User Portal)	N/A	Not Vulnerable	FIXED as of April 11, 2014
Unified Conference & Collaboration Stations			
CX100, CX300, CX500, CX600, CX3000	All	Not Vulnerable	
<b>Accessories</b>			
TouchControl (PTC)	All	Not Vulnerable	

## Mitigation

*At this time, many affected products have older versions to which you can temporarily regress (install older version). If you can temporarily run an older product version, this is recommended.*

*For some products, mitigations exist solely in the realm of controlling the presence of encrypted traffic on any system that uses a vulnerable version of OpenSSL. Basic suggestions at this time are to:*

- 1. Place the Polycom product behind a firewall whenever possible, such that outsiders do not have access to ports used by OpenSSL on the device (usually only HTTPS, but sometimes other protocols that use TLS such as secure LDAP or secure SIP are involved).*
- 2. Turn off any services that use OpenSSL (if relevant) if at all possible. When new fixes become available, new certificates can be issued for your system, thus occluding any knowledge an attacker might have gained with regards to your old encryption certificates or keys.*

**For the voice products currently listed as vulnerable, a mitigation specific to these products is available: Set your `http.enabled` flag to = 0 (zero). This disables web access of all kinds, and blocks known heartbeat vectors into the system.**

*Note that Polycom's Product Security Office is working rapidly and efficiently to assist product teams in delivering fixes in as rapid a manner as possible.*

## Solution

*As fixes become available for a given product, that information will appear in this bulletin in subsequent releases. Polycom will continue updating this bulletin until all fixes are in place. Polycom recommends that users of any Polycom product listed in the table above as being vulnerable update to the "FIXED" version of their product as soon as such a version becomes available.*

## CVSS v2 Base Metrics:

*To assist our customers in the evaluation of this vulnerability; Polycom leverages the Common Vulnerability Scoring System (CVSS). This system provides an open framework for communicating the characteristics and impacts of information technology vulnerabilities that better enable our customers to make informed decisions and assess the impact on their environment.*

### Base CVSS v2 Score: 5.0 (AV:N/AC:L/Au:N/C:P/I:N/A:N)

Access Vector	Access Complexity	Authentication	Confidentiality Impact	Integrity Impact	Availability Impact
<b>Network</b>	<b>Low</b>	<b>None</b>	<b>Partial</b>	<b>None</b>	<b>None</b>



## Severity: High

Rating	Definition
<b>Critical</b>	A vulnerability, which, if exploited would allow malicious code to execute, potentially without a user being aware.
<b>High</b>	A vulnerability, which, if exploited could impact the confidentiality, integrity, or availability of data, or of the integrity or availability of resources.
<b>Medium</b>	A vulnerability that is limited to a significant degree by factors such as default configuration, auditing, or is difficult to exploit.
<b>Low</b>	A vulnerability that has minimal impact to the system and is extremely difficult to exploit.

## Contact

Any customer using an affected system who is concerned about this vulnerability within their deployment should contact Polycom Technical Support – either call 1-800-POLYCOM or visit:

[http://support.polycom.com/PolycomService/support/us/support/documentation/security\\_center.html](http://support.polycom.com/PolycomService/support/us/support/documentation/security_center.html)

for the latest information. You might also find value in the high-level security guidance and security news located at:

<http://www.polycom.com/security>

---

**Please remember that this bulletin is being updated on a regular basis to address new information regarding vulnerabilities and new fixes. This bulletin is versioned and time stamped. The newest version will always be located at this URL:**

<http://www.polycom.com/content/dam/polycom/common/documents/brochures/heartbleed-security-advisory-enus.pdf>

---

## Acknowledgment

Polycom discovered this vulnerability through the CVE database.



**Revision History – Security Bulletin CVE-2014-0160**

Version 1.0	2014-04-09-15:20	Initial release with 90% complete list of products and their vulnerability status
Version 1.1	2014-04-10-20:00	More detail for more products and first estimates for fix dates. Improved mitigation detail.
Version 1.2	2014-04-14-12:21	More products, better detail, better listings for affected members of Soundpoint family
Version 1.3	2014-04-14-21:17	Product list condensation (“versions older than”). HDX and Group Series fix date estimates published. Incorrect mitigation advice for RMX posted.
Version 1.4	2014-04-15-07:24	More condensation and accuracy. Mitigation advice removed from RMX.
Version 1.5	2014-04-17-12:38	RMX estimate for fix date, HDX fix date estimate moved in, mitigation for those members of Soundpoint family affected
Version 1.6	2014-04-18-10:27	Added UCS fix dates for the affected VVX, Soundstation, Soundstructure systems. Added new language at the top and bottom of the document reminding that it is a living doc, updates of which can be found on Polycom’s website
Version 1.7	2014-04-22-21:47	New formatting, fix announcements for HDX and RMX, condensed table format

©2013, Polycom, Inc. All rights reserved.

**Trademarks**

POLYCOM®, the Polycom logo and all names and marks associated with Polycom and Polycom’s products are trademarks and/or service marks of Polycom, Inc. and are registered and/or common law marks in the United States and various other countries. All other trademarks are property of their respective owners. No portion hereof may be reproduced or transmitted in any form or by any means, for any purpose other than the recipient’s personal use, without the express written permission of Polycom.

**Disclaimer**

While Polycom uses reasonable efforts to include accurate and up-to-date information in this document, Polycom makes no warranties or representations as to its accuracy. Polycom assumes no liability or responsibility for any typographical errors, out of date information, or any errors or



omissions in the content of this document. Polycom reserves the right to change or update this document at any time. Individuals are solely responsible for verifying that they have and are using the most recent Technical Bulletin.

**Limitation of Liability**

Polycom and/or its respective suppliers make no representations about the suitability of the information contained in this document for any purpose. Information is provided "as is" without warranty of any kind and is subject to change without notice. The entire risk arising out of its use remains with the recipient. In no event shall Polycom and/or its respective suppliers be liable for any direct, consequential, incidental, special, punitive or other damages whatsoever (including without limitation, damages for loss of business profits, business interruption, or loss of business information), even if Polycom has been advised of the possibility of such damages.