



Poly VideoOS

Poly G7500, Poly Studio X70, Poly Studio X50, and Poly Studio X30

Poly announces the release of Poly VideoOS 3.14.0 software. This Poly VideoOS software build also contains the following device software versions:

- Poly TC8 Controller 3.14.0
- Poly Microphone IP Adapter 3.0.1
- Poly IP Table Microphone 3.0.0
- Poly EagleEye Cube USB Camera 1.3.1
- Poly Studio E70 Camera 1.6.2

Contents

What's New in This Release	2
Poly VideoOS Installation	3
System Hardware Version Support	4
Release History	5
Security Updates	7
Security Policy	7
Language Support	7
Supported Products	7
Resolved Issues	14
Known Issues	15
System Constraints and Limitations	18
Get Help	21
Privacy Policy	22
Copyright and Trademark Information	22

What's New in This Release

Poly VideoOS 3.14.0 is a maintenance release and includes the following enhancements:

- [Camera Presets in Multicamera Environments](#)
- [Default Camera Preset at Startup](#)
- [G7500 with Studio E70 Connectivity Fixes](#)
- [StarLeaf Will Be Removed as a Provider in a Future VideoOS Release](#)
- [Partner Application Updates](#)

Camera Presets in Multicamera Environments

This release updates the underlying functionality for handling camera presets on systems with multiple connected cameras. Preset functionality on systems using only the built-in camera, with no additional cameras connected, remains the same.

If you're using presets on a system with multiple cameras attached, you'll need to reset the presets. This update won't erase your presets, but may cause your presets to not work as expected.

For information on saving camera presets, see "Save a Camera Preset from the Local Interface" in the [Poly Video Mode User Guide](#).

Default Camera Preset at Startup

Introduced in this release, the system uses Preset 1 to set the default camera position at system startup. If you have camera tracking enabled, the tracking mode you choose determines the default camera position.

G7500 with Studio E70 Connectivity Fixes

This release provides fixes for G7500 and Studio E70 connectivity issues that may happen after a system update. This includes a fix for Studio E70 camera becoming stuck in DFU mode after a system update. This release also includes a fix for Studio E70 powered by a G7500 LLN port losing connectivity after a system update.

StarLeaf Will Be Removed as a Provider in a Future VideoOS Release

StarLeaf is included in this software release, but will be removed as a provider in a future release. Poly recommends choosing a different provider for your environment.

For a list of supported partner applications, see [Supported Peripherals and Applications](#).

Partner Application Updates

Poly VideoOS 3.14.0 includes the following partner application updates:

Partner Application	Version	Features
Microsoft Teams Rooms	Admin Agent: 1.0.0.202205230848.product Teams: 1449/1.0.96.2022090606 Company Portal: 5.0.5484.0	<ul style="list-style-type: none"> • Maintenance release • For more information on this Microsoft Teams Room release, see the Microsoft Teams Rooms website
Zoom Rooms	Zoom Rooms: 5.11.3.1619 Zoom Rooms Controller (TC8): 5.11.3.1429	<ul style="list-style-type: none"> • Universally Unique Identifier (UUID) for Uniform Resource Name (URN) • Meeting layout chat panel enhancement • For more information on this Zoom Room release, see the Zoom website
Tencent Meeting Rooms	3.9.150.547	<ul style="list-style-type: none"> • Added camera tracking control, auto framing and speaker framing • Added the ability to start and stop content sharing from locally connected devices such as HDMI in. • Support for displaying photos while the system is idle • Simplified the account activation process • For more information on this Tencent release, see the Tencent website

Poly VideoOS Installation

Get the latest version of Poly VideoOS at [Poly Support](#).

You can install updates in a few different ways. See the [Poly Video Mode Administrator Guide](#) or [Poly Partner Mode Administrator Guide](#) for more information.

Some notes on updating the system:

- If you use Zoom Rooms as your primary conferencing application, Poly recommends regularly updating your system in the Zoom Admin Portal.
- If you have a system paired with a Poly Trio C60 phone, you must update Trio C60 to software version 7.0.1 or later.

Updating a System with Connected Peripherals

If you're updating your system on VideoOS 3.12.0 or earlier, make sure USB peripherals connected to your system are awake before updating the system. If the system initiates an update while it's in sleep mode, the peripherals will remain asleep and won't update.

VideoOS 3.13.0 introduced an update instructing the system to automatically wake peripherals before starting the update. One you update to VideoOS 3.14.0, you won't need to wake connected peripherals before updating the system.

You can wake the system and connected peripherals in a few ways, including:

- Locally in the room by tapping the room controller, tapping the touch screen, or pressing a button on a connected remote control
- Remotely by accessing the system web interface and going to **Diagnostics > Remote Monitoring**. Then go to **System Wake** and select **Wake the System**.

If your system updated without updating the peripherals, wake the system and run the update again. The system will look for new version of software for connected peripherals and perform the update.

System Hardware Version Support

The following tables list the supported Poly VideoOS versions for each G7500 and Studio X system hardware version.

To locate your system's hardware version, see [Identify the System Hardware Version](#).

Poly VideoOS Versions Supported on G7500 Systems by Hardware Version

System	Hardware Version	Supported Poly VideoOS Version
G7500	1 to 7	All
G7500	8 and greater	3.3.2 to current
G7500 (No Radio)	20	All
G7500 (No Radio)	21 and greater	3.3.2 to current

Poly VideoOS Versions Supported on Studio X70 Systems by Hardware Version

System	Hardware Version	Supported Poly VideoOS Version
Studio X70	1	3.7.1 to current
Studio X70	2 and greater	3.9.1 to current

Poly VideoOS Versions Supported on Studio X50 Systems by Hardware Version

System	Hardware Version	Supported Poly VideoOS Version
Studio X50	1	All
Studio X50	2 and greater	3.3.2 to current
Studio X50 (No Radio)	20	All
Studio X50 (No Radio)	21 and greater	3.3.2 to current

Poly VideoOS Versions Supported on Studio X30 Systems by Hardware Version

System	Hardware Version	Supported Poly VideoOS Version
Studio X30	All	All

Downgrading to Previous VideoOS Software Versions

Poly recommends the following if you want to downgrade from version 3.14.0:

- If your system is managed by the Poly Zero Touch Onboarding (ZTO) service, don't downgrade. Contact your authorized Poly dealer for information.
- Before downgrading, verify that the version of Poly VideoOS you're downgrading to supports the system hardware version and the selected conferencing provider.
- When downgrading software to versions earlier than 3.3.2, use the system's dashboard to check that the hardware version meets the requirement for the software version.
- Before downgrading, reset the system through the system web interface by navigating to **Diagnostics > System Reset > Reset All System Configurations**.

Important: Before downgrading your system to a previous Poly VideoOS version, verify that your system's hardware version supports the version you're downgrading to.

See the [Poly Video Mode Administrator Guide](#) or [Poly Partner Mode Administrator Guide](#) for more information on how to downgrade.

Identify the System Hardware Version

Locate and identify the system hardware version using the system web interface or a connected TC8 controller.

To identify the system hardware version:

- » Do one of the following:
 - In the system web interface, go to **Dashboard > System Details**.
 - From a connected TC8 controller, swipe left and select **Settings**.

Release History

This section lists the release history of Poly VideoOS.

Release History

Release	Release Date	Features
3.14.0	September 2022	<ul style="list-style-type: none">• Camera Presets in Multicamera Environments• Default Camera Preset at Startup• G7500 with Studio E70 Connectivity Fixes• StarLeaf Will Be Removed as a Provider in a Future VideoOS Release

Release	Release Date	Features
3.13.0	August 2022	<ul style="list-style-type: none"> • Studio E70 Camera Fixes and Improvements • Fix for Peripheral Update in Sleep Mode • Support for Tencent Meeting Rooms on G7500 • Support for UGreen HDMI-to-USB Camera Adapter • Support for Displaying the System Name Instead of the SIP Address in Calls
3.12.0	June 2022	<ul style="list-style-type: none"> • Introducing People Framing on Studio X70 and Studio E70 (Preview Only) • Disabling HDMI Auto-Start in Poly Video Mode • Support for Device Mode on Studio X70 • Support for Poly IR Receiver and IR Remote • Partner App Updates
3.11.0	April 2022	<ul style="list-style-type: none"> • Support for Tencent Meeting Rooms (For customers in China) • Zoom OS and Management Updates • Support for Biamp USB audio products • Extended support for QSC USB audio products • Partner Apps Updates • Digital Signage Provider Updates
3.10.0	March 2022	<ul style="list-style-type: none"> • Updated Zoom Rooms Application • Updated Microsoft Teams Application • LLDP Supported in Microsoft Teams Mode • Speaker Framing Enhancements on Studio X30 and Studio X50 Systems • System Web Interface Camera Tracking Toggle • Support for Raydiant as a Digital Signage Provider • Tencent Rooms (Beta Only for Chinese market) • Updated Partner Apps
3.9.1	January 2022	<ul style="list-style-type: none"> • Fixes for G7500 systems and Studio E70 cameras connectivity issues • Factory Restore Partition Update to 3.9.1
3.9.0	December 2021	<ul style="list-style-type: none"> • Device Mode supported in Microsoft Teams mode on Poly StudioX30 and Poly Studio X50 • HDMI video-only ingest supported in Microsoft Teams mode • Smart Gallery for Zoom now supported in X70 and E70 • Provider Mode Command-Line API • Support for BlueJeans as a Video Conferencing Provider • Enhanced people detection
3.8.0	November 2021	<ul style="list-style-type: none"> • Attach Multiple Poly TC8 Controllers and Poly Trio C60 Phones to a System simultaneously • Hide Icons and PIP on the system monitor • Configure Wi-Fi Settings in Microsoft Teams Mode • Set Device Mode Idle Timeout

Security Updates

Visit the [Poly Security Center](#) site for information about known and resolved security vulnerabilities.

Security Policy

Poly implements a layered defense-in-depth approach to protect information in products and systems from unauthorized processing. For more information, see the [Poly Security and Privacy Overview](#).

Language Support

G7500 and Studio X Family systems support the following languages in Poly Video Mode:

- Arabic
- Chinese (Simplified)
- Chinese (Traditional)
- British English
- American English
- French
- German
- Hungarian
- Italian
- Japanese
- Korean
- Norwegian
- Polish
- Portuguese (Brazilian)
- Russian
- Spanish

In Partner Mode, your conferencing provider may have a different set of supported languages.

Supported Products

Poly products are tested extensively with a wide range of products. The table below lists the products that have been tested for compatibility with this release.

Poly strives to support any system that is standards-compliant, and Poly investigates reports of Poly systems that do not interoperate with other standards-compliant vendor systems.

Poly recommends that you upgrade all of your Polycom/Poly systems with the latest software versions. Any compatibility issues may already have been addressed by software updates. For more information, download the [Poly Intra-Operability Matrix](#).

Note: The following list is not a complete inventory of compatible equipment. It provides information on the products that have been tested with this release.

Supported Peripherals and Applications

The following table includes the Poly and partner peripherals and applications supported on G7500 and Studio X Family systems.

Applications

Product	G7500	Studio X70	Studio X50	Studio X30
Polycom Content App (Poly Video only)	Yes	Yes	Yes	Yes
Microsoft Teams	No	No	Yes	Yes
Zoom Rooms	Yes	Yes	Yes	Yes
GoToRoom by LogMeIn	Yes	Yes	Yes	Yes
StarLeaf	Yes	Yes	Yes	Yes
RingCentral Rooms	Yes	Yes	Yes	Yes
BlueJeans Rooms	Yes	Yes	Yes	Yes
Dialpad	No	No	Yes	Yes
Device Mode	Yes	Yes	Yes	Yes
Appspace	Yes	Yes	Yes	Yes
Raydiant	Yes	Yes	Yes	Yes
Tencent	Yes	No	Yes	Yes

Controllers

Product	G7500	Studio X70	Studio X50	Studio X30
Poly TC8	Yes	Yes	Yes	Yes
Poly Bluetooth Remote Control	Yes	Yes	Yes	Yes
Poly IR Remote Control and Receiver	Yes	Yes	Yes	Yes
Poly Trio C60, Poly Trio 8500, and Poly Trio 8800	Yes	Yes	Yes	Yes

Microphones and Speakers

Product	G7500	Studio X70	Studio X50	Studio X30
Poly IP Table Microphone	Yes	No	No	No
Poly IP Ceiling Microphone	Yes	No	No	No
Poly Microphone IP Adapter	Yes	No	No	No
Polycom RealPresence Group Series table and ceiling microphone arrays (connected using the microphone adapter)	Yes	No	No	No
Polycom SoundStructure accessory (with microphone adapter connection)	Yes	No	No	No
Polycom Stereo Speaker Kit	Yes	No	No	No
Polycom RealPresence Debut expansion microphone	No	Yes	Yes	No
Poly Trio C60, Poly Trio 8500, and Poly Trio 8800	Yes	Yes	Yes	Yes

Audio Processors

Product	G7500	Studio X70	Studio X50	Studio X30
Biamp DSP USB audio processors	Yes	Yes	Yes	No
QSC Core Series audio processors	Yes	Yes	Yes	No
Shure IntelliMix P300 audio conferencing processor	Yes	Yes	Yes	No

Cameras

Product	G7500	Studio X70	Studio X50	Studio X30
Poly Studio USB video bar	Yes	Yes	Yes	No
Poly Studio E70 camera	Yes	Yes	Yes	No
Polycom EagleEye Mini USB camera	Yes	Yes	Yes	No
Poly EagleEye Cube USB camera	Yes	Yes	Yes	No
Polycom EagleEye IV USB camera	Yes	Yes	Yes	No

Product	G7500	Studio X70	Studio X50	Studio X30
Polycom EagleEye IV HDCI camera	Yes	No	No	No
Polycom EagleEye Director II camera (HDCI connections only)	Yes	No	No	No
Polycom EagleEye Producer (with EagleEye IV camera only)	Yes	No	No	No
Vaddio ConferenceSHOT AV camera (only supports video with no audio input from the USB camera)	Yes	Yes	Yes	No
Huddly IQ Conference camera (only supports video with no audio input from the USB camera)	Yes	Yes	Yes	No
Logitech Rally Ultra HD PTZ USB camera (only supports video with no audio input from the USB camera)	Yes	Yes	Yes	No
INOGENI 4K2USB3 HDMI to USB 3.0 capture device	Yes	Yes	Yes	No
Polycom EagleEye Digital Extender	Yes	No	No	No
Polycom Digital Breakout Adapter	No	No	No	No

USB Extenders for the USB-C Device Mode Port

Product	G7500	Studio X70	Studio X50	Studio X30
Icron USB 2.0 Ranger 2311	Yes	Yes	Yes	Yes
Icron USB Raven 3104 Pro	Yes	Yes	Yes	Yes

USB Adapters

Product	G7500	Studio X70	Studio X50	Studio X30
UGreen USB to HDMI adapter (PN: 10937)	Yes	Yes	Yes	No

Supported Web Browsers

You can access the system web interface with the following web browsers:

- Google Chrome 100.0.4896 and later
- Apple Safari 14 and later
- Mozilla Firefox 99 and later
- Microsoft Edge 94 and later

Microsoft Teams Support

Studio X50 and Studio X30 systems support Microsoft Teams, which provides a high-quality experience in the conference room for subscribers. Poly recommends running Poly VideoOS 3.14.0 for the best experience when using Teams on Studio X Family systems.

Note the following when using Microsoft Teams on your system:

- After upgrading to Poly VideoOS 3.7.0 or later, you must sign in to the paired TC8 device (when using the touch console) using the same Microsoft Teams account and credentials you use on the system.
- The TC8 device now signs in independently of the system, so you may need to increase the maximum number of devices allowed per user or room account by one to include the TC8 device, the default number of devices that can be registered per account is 15 (unless changed by your administrator).
- After signing in to Teams, you must pair the TC8 device to the system via a pairing code.
- All deployment requirements and recommendations for Teams now apply to the TC8 device as well as to the system. This includes firewall, security, and network configuration. Ensure that your corporate firewalls are configured as noted on the Office 365 URLs and IP address ranges page at [Microsoft Teams](#).
- If you're using Teams as your primary conferencing application, Poly recommends using the Microsoft Teams Admin Center to manage all software for your system and paired TC8 devices. The latest Microsoft supported Poly VideoOS version is posted on the Microsoft Teams Admin Center.
- After you upgrade to Poly VideoOS 3.7.0 or later, update to the latest Teams APK from the Microsoft Teams Admin Center.

For more information on updates for the Teams application, see [What's new in Microsoft Teams devices](#)

Products Tested With This Release

Poly tests G7500 and Studio X Family systems with a wide range of products. The following list isn't a complete inventory of compatible equipment. This list indicates products that have been tested for compatibility with this release.

Note: Poly recommends that you upgrade your Poly devices with the latest software versions, as available software updates may already address the compatibility issues. See the [Current Poly Interoperability Matrix](#) to match product and software versions.

External MCU, Call Managers, Recorders, Gatekeepers, and Gateways

Product	Tested Versions
Poly One Touch Dial Service	Current version
Poly RealConnect Service	Current version
Polycom RealPresence Collaboration Server 1800/2000/4000/Virtual Edition	8.10.0.1.3
Polycom RealPresence DMA 7000, Appliance and Virtual Editions	10.2.2.3
Polycom RealPresence Resource Manager, Virtual Edition	10.10.2.2
Polycom RealPresence Media Suite	2.8.2
Cisco Telepresence Video Communication Server	X12.7.0
Cisco Unified Communications Manager (CUCM)	12.5.1

Poly Endpoints

Product	Tested Versions
Polycom RealPresence Group Series	6.2.2.8
Poly G200	1.4.0
Poly G7500, Poly Studio X70, Poly Studio X50, and Poly Studio X30 with Poly Trio C60, Poly Trio 8800, and Poly Trio 8500	Poly VideoOS software 3.14.0
Polycom HDX 7006/8006/9006	3.1.14
Polycom RealPresence Desktop for Windows	3.11.2.73443
Polycom RealPresence Desktop for Mac	3.10.4.72927
Polycom RealPresence Mobile for Apple iOS	3.11.2.73443
Polycom RealPresence Mobile for Android	3.10.1.71327
Poly Trio C60	7.3.1.0813
Poly Trio 8500, and Poly Trio 8800	7.2.2.1095
Poly Trio C60 with Polycom RealPresence Group Series	UC software 7.3.1 RealPresence Group Series software 6.2.2.8
Poly Trio 8500 and Poly Trio 8800 with Polycom RealPresence Group Series	UC Software 7.2.2.1095 RealPresence Group Series software 6.2.2.8
Poly Trio Visual+	7.2.2.1094
Poly Trio VisualPro	UC software 7.2.2 RealPresence Group Series software 6.2.2.8

Product	Tested Versions
Polycom RealPresence Debut	1.3.3-71352
Polycom VVX 450/501/601/1500	5.9.5.0614 6.3.1.8427

Third-Party Endpoints

Product	Tested Versions
Avaya Scopia XT7000 and XT5000	V9_2_3_15
Cisco C90, C40, and C20	TC7.3.21.6ac6d47
Cisco SX80, SX20, and SX10	ce 9.15.0.11 aec227943ed
Huawei DP-300	2.00.b00
Huawei TE40 and TX50	6.10.0
LifeSize ICON 450/600/800i	3.4.4 (3331)

Peripherals and Applications

Product	Tested Versions
Poly EagleEye Cube USB	1.3.1
Polycom EagleEye Director II	2.2.3
Polycom EagleEye Producer	1.2.2
Polycom EagleEye IV USB	1.2.1
Polycom EagleEye USB Mini	9.0.23
Poly Studio E70 camera	1.6.2-260005
Poly Studio USB video bar	1.5.0.000896
Poly IP Table Microphone	3.0.0
Poly IP Ceiling Microphone	3.0.0
Poly Microphone IP Adapter	3.0.0
Poly TC8	3.13.0
Poly Lens	1.1.20
Polycom Content App	Current version

Partner Applications

Product	Tested Versions
Zoom Rooms	5.11.3.1619
Microsoft Teams	1449/1.0.96.2022090606
BlueJeans	2.7.0.138
DialPad	v1.009.1-0-g3940e42
LogMeIn	1.216.2
RingCentral	22.2.30.94
StarLeaf	4.7.6d1
Tencent	3.9.150

Resolved Issues

This section identifies the issues resolved in this release.

Resolved Issues

Category	Issue ID	Description
Camera	EN-232934	When you change a Studio X30 from inverted orientation to standard orientation in the system web interface, the orientation doesn't change in the video feed.
Camera	EN-213328	On G7500 and Studio X70 systems, if you disconnect an EagleEye Cube USB and hot-plug a Studio USB, the system may continue to report the camera as an EagleEye Cube.
Camera	EN-221948	On Studio X70 and G7500 systems with a connected Studio E70, camera presets are not working correctly.
Configuration	EN-228725	On a G7500 with multiple connected cameras, the cameras may not appear on the camera controls screen and a camera may not be recognized by the system.
Configuration	EN-230368	On a G7500 in Zoom Mode with multiple EagleEye IV USB cameras, PTZ controls and camera preset availability isn't consistent.
Device Management	EN-228427	A Studio X50 doesn't update during the update times set in Poly Lens.
Device Management	EN-233412	On a G7500 with a connected Studio E70, the Studio E70 doesn't update and is stuck in device firmware upgrade (DFU) mode.
Device Management	EN-233466	On a G7500 with a connected Studio E70, the Studio E70 disconnects and has a flashing blue LED after a system update.
Network	EN-233351	Configuring static IP and VLAN through the system web interface results in an IP address of 0.0.0.0.

Category	Issue ID	Description
Peripherals	EN-234515	On a Poly TC8 in Teams mode, the right side menu may become unavailable.
Partner Application	EN-226595	On a G7500 system in Zoom mode, the system web interface reports a disconnected camera as connected.
Partner Application	EN-225416	On G7500 systems in Tencent Rooms mode, switching an active HDMI source to camera causes the system to crash.
Partner Application	EN-232636	The Ring Central application on the Touch Controller may not show the correct controller interface.
Peripherals	EN-230337	In Poly Video mode, a Trio connected as a system controller doesn't zoom the camera in or out.
Peripherals	EN-212615	Poly G7500 and Studio X50 systems configured for use in PAL (50Hz) countries may fail to properly negotiate HDMI EDID on the second monitor with some Samsung Digital Signage Displays.
Peripherals	EN-233503	On a G7500 with three connected EagleEye Director II cameras, the cameras enter sleep mode and disconnect. After reconnecting the camera, the Crestron API can no longer control the cameras.
Peripherals	EN-233898	On a G7500 with an Icron 3211 USB extender, switching cameras causes all camera connectivity to be lost.
Provisioning	EN-228030	On Studio G7500 and Studio X systems, Lens fails to provision Show Home screen icons .

Known Issues

This section identifies the known issues in this release.

IMPORTANT: These release notes do not provide a complete listing of all known issues for the software. Issues not expected to significantly impact customers with standard voice and video conferencing environments may not be included. In addition, the information in these release notes is provided as-is at the time of release and is subject to change without notice.

Known Issues

Category	Issue ID	Description	Workaround
Audio	EN-119155	Downloading logs during a call temporarily disconnects the Poly Microphone IP adapter, resulting in a loss of audio on the far end.	Download logs outside of a call.
Audio	EN-212975	During a call on a Poly Studio X70 with a Poly Trio C60 paired as an audio device, audio clipping may be heard on the far end.	None

Category	Issue ID	Description	Workaround
Camera	EN-234538	On a G7500 or Studio X system with a connected EagleEye IV USB camera, the system doesn't boot up to Preset 1.	None
Camera	EN-234479	On a G7500 system with three USB-connected Studio E70 cameras powered by G7500 LLN ports, one or more Studio E70 cameras may not properly connect to the codec after reboot.	Reboot the system.
Camera	EN-233998	On a Studio G7500 or Studio X system in Device Mode with a connected Studio E70 camera, after saving a preset on the TC8 you can't toggle camera tracking on.	Change tracking settings in outside of Device Mode or use the system web interface.
Camera	EN-227999	On a G7500 or Studio X50, when you unplug the current people camera, HDMI input set as People becomes the primary camera and takes priority over the built-in camera.	Log in to the system web interface and change the people camera to the preferred connected camera.
Configuration	EN-191539	If you don't select the country during initial system setup, any subsequent changes to the camera Power Frequency don't change the setting.	Select the country in the system web interface.
Device Management	EN-226868	On Studio X70 systems, HDMI 1 output may display a blank screen during a pinhole factory reset.	Temporarily move the HDMI cable to HDMI 1 output or use the system web interface to monitor factory reset progress.
Device Management	EN-225374	On a Studio X70 system in sleep mode, logs for the built-in camera may not be included in the Studio X70 log file.	Before collecting system logs, wake the system.
Device Management	EN-178323	Entering Device Mode unregisters the gatekeeper and SIP registrar server on Poly Studio X30.	Exit Device Mode.
Device Management	EN-213422	On a Studio X70 system, during a factory restore, the system LEDs only glow white. The LEDs don't glow amber or yellow.	The glowing white light can be used to monitor the factory restore process. Alternatively, you can initiate and monitor the factory restore from the system web interface.
Partner Application	EN-233628	On a Studio X70 in Zoom mode, the built-in camera may become unavailable. Zoom Rooms reports "no source available" and the system web interface reports the camera is disconnected.	Using the system web interface, restart the Studio X70.

Category	Issue ID	Description	Workaround
Partner Application	EN-233295	On a Studio X70 with a connected Studio E70 in Zoom mode, switching the Studio E70 and enabling Smart Gallery may result in the system defaulting back to the built-in camera.	Use one of the other available tracking modes including, manual, speaker focus, or auto-framing.
Partner Application	EN-227950	On a Studio X70 in Zoom mode with a connected Studio E70 camera, the Studio X70 built-in camera can't run Multi-Stream.	Use one of the other available tracking modes including, manual, speaker focus, or auto-framing.
Partner Application	EN-222715	On a G7500 in Zoom mode with a connected Studio E70 camera, disconnecting a HDMI content cable while using Zoom Smart Gallery may result in the system displaying a message that the active camera isn't working.	Don't use Smart Gallery camera mode with G7500, E70 and HDMI In Content, use one of the other available camera modes like manual, speaker focus, or auto-framing.
Partner Application	EN-224846	On Studio X50 and Studio X30 systems in Tencent Rooms mode, connecting a macOS computer to the system as a content source causes the system to restart.	None
Partner Application	EN-224800	On G7500 and Studio X50 systems in Tencent Rooms mode, unplugging an active USB camera in a call and then plugging it back in causes the system to restart.	It is not recommended to disconnect or connect cameras during a call.
Partner Application	EN-212620	On a system in Microsoft Teams or Zoom Rooms, the system may reboot into the app launcher screen.	Reboot the system. Alternatively, if you have a touch monitor or connected mouse, select your provider.
Partner Application	EN-217417	Studio X50 systems don't support Zoom Smart Gallery when using a connected Studio E70.	Use one of the other available tracking modes including, manual, speaker focus, or auto-framing.
Partner Application	EN-202446	On Studio X systems in Teams mode, the PAC file instruction is not being properly utilized to bypass the proxy.	Use (dnsDomainIs(host, "local.example.com")) function instead of an IP based (isInNet(dnsResolve(host), "ip_address", "IP_address_pattern_mask")) function
Peripherals	EN-231377	Hot plugging in a UGreen HDMI to USB adapter during a call may cause the system to crash.	Before plugging in the UGreen adapter, make sure the system is not in a call.
Peripherals	EN-222757	On a system connected to a Biamp TesiraForte AVG VT4 with an EXT-UBT expander, audio latency may be observed during a call.	None

Category	Issue ID	Description	Workaround
Peripherals	EN-182043	When using a Studio X50 system in Poly Video Mode, you can't see incoming call notifications on TC8 when the TC8 displays the Camera or Settings screen.	When the front of room monitor displays the active call message, close the Camera or Settings screens to answer the call.
Peripherals	EN-196977	When you switch from a Wi-Fi connection to a wired LAN connection, your TC8 device indicates that it's unpaired. However, the system web interface indicates that the TC8 device is paired.	Reboot both the system and the TC8 device.
Peripherals	EN-210589	When using a Studio X70 system, adjusting a secondary USB camera with a Poly Bluetooth remote control causes the system to crash.	Use a paired TC8 to adjust the camera.
Provisioning	EN-132148	In RealPresence Resource Manager, you can't provision the <code>exchange.meeting.reminderInterval</code> parameter using these permitted configuration values: None, 1, 5, 10, 15, or 30.	Configure this feature using the Meeting Reminder Time in Minutes setting in the system web interface.
Video	EN-226889	On a Studio X50 or Studio X30, Presenter Tracking may take up to two minutes to frame the active speaker.	If there is only one participant in the room, use People Framing (Preview) or Group Framing. Alternatively, you can disable tracking and use the manual controls.
Video	EN-234059	On a G7500 with a connected USB camera, the Home screen PIP video preview may freeze when the system is idle for an extended period of time.	Restart the system.

System Constraints and Limitations

This section identifies the limitations and constraints when using this product.

- [Bluetooth and IR Remote Control and Receiver](#)
- [Downloading System Logs](#)
- [Frame Speaker Mode](#)
- [Full Screen Video with Airplay Support](#)
- [No Support for HDCP Sources](#)
- [Poly EagleEye Cube USB Camera](#)
- [Polycom EagleEye IV USB Camera](#)
- [Polycom EagleEye IV 10 Meter HDCI Digital Camera Cable](#)
- [Primary Audio Volume in Partner Mode](#)

- [Secure Media Streams](#)
- [Sharing Content with RealPresence Desktop](#)
- [Sleep and Out of Office Settings in Partner Mode](#)
- [Using a 3.5 mm External Audio Solution on a G7500 with a Studio E70 Camera](#)
- [Using the System in Device Mode](#)
- [Using the System in Microsoft Teams Mode](#)
- [Zoom Smart Gallery Using Multiple Cameras Isn't Supported](#)

Bluetooth and IR Remote Control and Receiver

Poly Bluetooth and IR Remote Control functionality may be limited when using partner applications.

Downloading System Logs

Wake the system before downloading system logs to ensure all component logs are captured.

Frame Speaker Mode

Based on customer feedback, Poly will improve the performance of Frame Speaker mode in a forthcoming release. If you experience undesired behavior when Tracking Mode is set to Frame Speaker, Poly advises setting Tracking Mode to Frame Group.

Full Screen Video with Airplay Support

You can't use Airplay to share full screen video from a website or app on an iOS device.

No Support for HDCP Sources

You can't send content from a High-bandwidth Digital Content Protection (HDCP) source to your system. An HDCP source can be a Blu-ray player, DVD player, or similar device.

Poly EagleEye Cube USB Camera

Note the following when using an EagleEye Cube USB camera with your system:

- The system doesn't support 1080p at 60 fps, but it does support 1080p at 30 fps.
- The system logs don't include entries about the camera. You can download camera logs using [Poly Lens desktop](#).
- Some camera settings are available only through the Poly Lens desktop application (for example, hue).
- You can provision camera settings with RealPresence Resource Manager only when you connect the camera to your system.
- If you previously purchased an EagleEye Cube USB camera to use with a Poly Trio system, you can also use the camera with your system. However, to avoid camera connectivity issues Poly recommends updating the camera to firmware version 1.1.0-827 or later:

- Connect the camera to a Poly Trio system running software version 5.9.0AB or later.
- Update the camera using the Poly Lens desktop application.

Polycom EagleEye IV USB Camera

Note the following when using an EagleEye IV USB camera with your system:

- The pan, tilt, zoom controls don't work if you use the camera with an Acer T232HL touch monitor.
- When EagleEye IV is set as the primary camera, Preset 1 isn't used for the default camera position. The camera uses the default full-frame camera view.

Polycom EagleEye IV 10 Meter HDCI Digital Camera Cable

The 10 m (32.8 ft) HDCI cable (part number 2457-64356-101) used to connect an EagleEye IV camera to your G7500 system isn't supported.

If you need to connect your camera up to that distance, use the Polycom EagleEye Digital Extender instead. For more information, see the [Poly G7500 Room Preparation Guide](#).

Primary Audio Volume in Partner Mode

Configuring the **Primary Audio Volume** setting with the system web interface isn't supported in Partner Mode. Change the volume using your partner application settings instead.

Secure Media Streams

Media streams (audio, video, and content) over HTTPS aren't supported. Media streams in H.323 and SIP calls are encrypted using SRTP.

Sharing Content with RealPresence Desktop

You can't share content to a system using the RealPresence Desktop for Windows or Mac application.

Sleep and Out of Office Settings in Partner Mode

Configuring sleep and out-of-office settings with the system web interface may not be supported in Partner Mode. Check your partner application settings for support of similar functionality.

Using a 3.5 mm External Audio Solution on a G7500 with a Studio E70 Camera

On a G7500 system with a 3.5 mm external audio solution and a Studio E70 camera, G7500 USB audio should be disabled to prevent Studio E70 microphones from sending unwanted audio to the far site. Studio E70 camera microphones are for sound source localization and should not be used to pick up room audio.

Using the System in Device Mode

Note the following limitations when using your system as an external camera, microphone, and speaker in Device Mode from a paired Trio 8500, Trio 8800, or Trio C60 system:

- You can only access Device Mode from the Trio screen when the system is in Poly Video Mode.
- When the system is in Device Mode, the controls displayed on the Trio screen don't work.
- System and connected microphone LEDs don't indicate you're muted if you mute using RealPresence Desktop.
- You can't use the Bluetooth remote control to interact with your system.

Using the System in Microsoft Teams Mode

Note the following limitations when using Microsoft Teams with a Poly video conferencing system:

- Poly G7500 doesn't support Microsoft Teams.
- Poly Studio X70 doesn't support Microsoft Teams.
- You can't use a Poly Trio if you're connected to a Wi-Fi network. You must use a touchscreen, a paired TC8 device, or a Bluetooth remote to interact with the system.
- Only supports built-in cameras.

Zoom Smart Gallery Using Multiple Cameras Isn't Supported

When using Zoom Smart Gallery, using multiple connected cameras isn't supported.

Get Help

For more information about installing, configuring, and administering Poly/Polycom products or services, go to [Poly Support](#).

Related Poly and Partner Resources

See the following sites for information related to this product.

- [Poly Support](#) is the entry point to online product, service, and solution support information. Find product-specific information such as Knowledge Base articles, Support Videos, Guide & Manuals, and Software Releases on the Products page, download software for desktop and mobile platforms from Downloads & Apps, and access additional services.
- The [Poly Documentation Library](#) provides support documentation for active products, services, and solutions. The documentation displays in responsive HTML5 format so that you can easily access and view installation, configuration, or administration content from any online device.
- The [Poly Community](#) provides access to the latest developer and support information. Create an account to access Poly support personnel and participate in developer and support forums. You can find the latest information on hardware, software, and partner solutions topics, share ideas, and solve problems with your colleagues.

- The [Poly Partner Network](#) is a program where resellers, distributors, solutions providers, and unified communications providers deliver high-value business solutions that meet critical customer needs, making it easy for you to communicate face-to-face using the applications and devices you use every day.
- [Poly Services](#) help your business succeed and get the most out of your investment through the benefits of collaboration. Enhance collaboration for your employees by accessing Poly service solutions, including Support Services, Managed Services, Professional Services, and Training Services.
- With [Poly+](#) you get exclusive premium features, insights and management tools necessary to keep employee devices up, running, and ready for action.
- [Poly Lens](#) enables better collaboration for every user in every workspace. It is designed to spotlight the health and efficiency of your spaces and devices by providing actionable insights and simplifying device management.

Privacy Policy

Poly products and services process customer data in a manner consistent with the [Poly Privacy Policy](#). Please direct comments or questions to privacy@poly.com.

Copyright and Trademark Information

© 2022 Poly. Bluetooth is a registered trademark of Bluetooth SIG, Inc. All other trademarks are the property of their respective owners.

Poly
345 Encinal Street
Santa Cruz, California
95060